

**legenda "xy" per diamante/CBN e grane**

diamante: D30="DB" - D64="DE" - D76="DF" - D91="DG" - D107="DK" - D126="DL" - D151="DN" - D181="DO" - D252="DQ"

cbn: B30="BB" - B64="BE" - B76="BF" - B91="BG" - B107="BK" - B126="BL" - B151="BN" - B181="BO" - B252="BQ"



es: mola diametro 3,0 mm in cbn grana B107

EHCI030050240 BK

**legenda "xy" for diamant/CBN and grit size**

ex: cbn pin diameter 3.0 mm grit B107

EHCI030050240 BK



**molette cilindriche con gambo Ø 2,35 mm x 40 mm**  
**cylindrical pins with shank Ø 2.35 mm x 40 mm**

codice code	Ø T	metallo duro tungsten carbide	L1	Ø G	L2	L3
EHCI020050240 xy	2.0	no	5.0	2.35	13.0	40
EHCI030050240 xy	3.0	no	5.0	2.35		40
EHCI040060240 xy	4.0	no	6.0	2.35		40
EHCI050060240 xy	5.0	no	6.0	2.35		40
EHCI060060240 xy	6.0	no	6.0	2.35		40
EHCI080080240 xy	8.0	no	8.0	2.35		40
EHCI100100240 xy	10.0	no	10.0	2.35		40

**legenda "xy" per diamante/CBN e grane**

diamante: D30="DB" - D64="DE" - D76="DF" - D91="DG" - D107="DK" - D126="DL" - D151="DN" - D181="DO" - D252="DQ"

cbn: B30="BB" - B64="BE" - B76="BF" - B91="BG" - B107="BK" - B126="BL" - B151="BN" - B181="BO" - B252="BQ"

Mole con Gambo Carburo Tungsteno = W

es: mola diametro 1,5 mm in cbn grana B126 gambo TC



EHCI015030340 BL W

**legenda "xy" for diamant/CBN and grit size**

Pins with Tungsten Carbide shank = W

ex: cbn pin diameter 1.5 mm grit B126 TC shank

EHCI015030340 BL W



**molette cilindriche con gambo Ø 3 mm x 40 mm**  
**cylindrical pins with shank Ø 3 mm x 40 mm**

codice code	Ø T	metallo duro tungsten carbide	L1	Ø G	L2	L3
EHCI004030340 xy W	0.4	si	2.0	3.0	3.0	40
EHCI005030340 xy W	0.5	si	2.0	3.0	3.0	40
EHCI006030340 xy W	0.6	si	3.0	3.0	5.0	40
EHCI007030340 xy W	0.7	si	3.0	3.0	6.0	40
EHCI008030340 xy W	0.8	si	3.0	3.0	6.0	40
EHCI009030340 xy W	0.9	si	3.0	3.0	7.0	40
EHCI010030340 xy W	1.0	si	3.0	3.0	7.0	40
EHCI011030340 xy W	1.1	si	3.0	3.0	8.0	40
EHCI012030340 xy W	1.2	si	3.0	3.0	8.0	40
EHCI013030340 xy	1.3	no	3.0	3.0	8.0	40
EHCI014030340 xy	1.4	no	3.0	3.0	8.0	40
EHCI015030340 xy W	1.5	si	3.0	3.0	15.0	40
EHCI016040340 xy	1.6	no	4.0	3.0	15.0	40
EHCI017040340 xy	1.7	no	4.0	3.0	15.0	40
EHCI018040340 xy	1.8	no	4.0	3.0	15.0	40
EHCI019040340 xy	1.9	no	4.0	3.0	15.0	40
EHCI020050340 xy W	2.0	si	5.0	3.0	15.0	40
EHCI021050340 xy	2.1	no	5.0	3.0	15.0	40
EHCI022050340 xy	2.2	no	5.0	3.0	15.0	40
EHCI023050340 xy	2.3	no	5.0	3.0	15.0	40
EHCI024050340 xy	2.4	no	5.0	3.0	15.0	40
EHCI025050340 xy W	2.5	si	5.0	3.0	16.0	40
EHCI026050340 xy	2.6	no	5.0	3.0	16.0	40
EHCI027050340 xy	2.7	no	5.0	3.0	16.0	40
EHCI028050340 xy	2.8	no	5.0	3.0	16.0	40
EHCI029050340 xy	2.9	no	5.0	3.0	16.0	40
EHCI030050340 xy W	3.0	si	5.0	3.0	17.0	40
EHCI031050340 xy	3.1	no	5.0	3.0		40
EHCI032050340 xy	3.2	no	5.0	3.0		40
EHCI033050340 xy	3.3	no	5.0	3.0		40
EHCI034050340 xy	3.4	no	5.0	3.0		40
EHCI035050340 xy	3.5	no	5.0	3.0		40
EHCI036050340 xy	3.6	no	5.0	3.0		40
EHCI037050340 xy	3.7	no	5.0	3.0		40
EHCI038050340 xy	3.8	no	5.0	3.0		40
EHCI039050340 xy	3.9	no	5.0	3.0		40
EHCI040050340 xy	4.0	no	5.0	3.0		40
EHCI045050340 xy	4.5	no	5.0	3.0		40
EHCI050060340 xy	5.0	no	6.0	3.0		40
EHCI060070340 xy	6.0	no	7.0	3.0		40

**legenda "xy" per diamante/CBN e grane**

diamante: D30="DB" - D64="DE" - D76="DF" - D91="DG" - D107="DK" - D126="DL" - D151="DN" - D181="DO" - D252="DQ"

cbn: B30="BB" - B64="BE" - B76="BF" - B91="BG" - B107="BK" - B126="BL" - B151="BN" - B181="BO" - B252="BQ"



es: mola diametro 3,5 mm in diamante grana D91

EHCI035050660 DG

**legenda "xy" for diamant/CBN and grit size**

ex: diamant pin diameter 3.5 mm grit D91

EHCI035050660 DG



**molette cilindriche con gambo Ø 6 mm x 60 mm**  
**cylindrical pins with shank Ø 6 mm x 60 mm**



codice code	Ø T	metallo duro tungsten carbide	L1	Ø G	L2	L3
EHCI020040660 xy	2.0	no	4.0	6.0	20.0	60
EHCI025040660 xy	2.5	no	4.0	6.0	20.0	60
EHCI030050660 xy	3.0	no	5.0	6.0	20.0	60
EHCI035050660 xy	3.5	no	5.0	6.0	20.0	60
EHCI040070660 xy	4.0	no	7.0	6.0	20.0	60
EHCI045070660 xy	4.5	no	7.0	6.0	20.0	60
EHCI050070660 xy	5.0	no	7.0	6.0	20.0	60
EHCI055070660 xy	5.5	no	7.0	6.0	20.0	60
EHCI060070660 xy	6.0	no	7.0	6.0	20.0	60
EHCI070100660 xy	7.0	no	10.0	6.0		60
EHCI080100660 xy	8.0	no	10.0	6.0		60
EHCI090100660 xy	9.0	no	10.0	6.0		60
EHCI100100660 xy	10.0	no	10.0	6.0		60
EHCI120100660 xy	12.0	no	10.0	6.0		60
EHCI120150660 xy	12.0	no	15.0	6.0		60
EHCI150100660 xy	15.0	no	10.0	6.0		60
EHCI150150660 xy	15.0	no	15.0	6.0		60

**legenda "xy" per diamante/CBN e grane**

diamante: D30="DB" - D64="DE" - D76="DF" - D91="DG" - D107="DK" - D126="DL" - D151="DN" - D181="DO" - D252="DQ"  
cbn: B30="BB" - B64="BE" - B76="BF" - B91="BG" - B107="BK" - B126="BL" - B151="BN" - B181="BO" - B252="BQ"  
es: mola diametro 4,5 mm in cbn grana B181  
EHCI045050355 BO

**legenda "xy" for diamant/CBN and grit size**

ex: cbn pin diameter 4.5 mm grit B181  
EHCI045050355 BO



**molette cilindriche con vari diametri/lunghezze**  
**cylindrical pins with different diameters/lengths**

codice code	Ø T	metallo duro tungsten carbide	L1	Ø G	L2	L3
EHCI008040355 xy	0.8	no	4.0	3.0	9.0	55
EHCI010040355 xy	1.0	no	4.0	3.0	9.0	55
EHCI013040355 xy	1.3	no	4.0	3.0	13.0	55
EHCI015040355 xy	1.5	no	4.0	3.0	13.0	55
EHCI018040355 xy	1.8	no	4.0	3.0	13.0	55
EHCI020040355 xy	2.0	no	4.0	3.0	16.0	55
EHCI025040355 xy	2.5	no	4.0	3.0	16.0	55
EHCI030050355 xy	3.0	no	5.0	3.0	20.0	55
EHCI035050355 xy	3.5	no	5.0	3.0	-	55
EHCI040050355 xy	4.0	no	5.0	3.0	-	55
EHCI045050355 xy	4.5	no	5.0	3.0	-	55
EHCI050050355 xy	5.0	no	5.0	3.0	-	55
EHCI050070675 xy	5.0	no	7.0	6.0	25.0	75
EHCI060070675 xy	6.0	no	7.0	6.0	30.0	75
EHCI070080675 xy	7.0	no	8.0	6.0	-	75
EHCI080080675 xy	8.0	no	8.0	6.0	-	75
EHCI100100690 xy	10.0	no	10.0	6.0	-	90
EHCI120101090 xy	12.0	no	10.0	10.0	-	90
EHCI150101090 xy	15.0	no	10.0	10.0	-	90
EHCI030040690 xy	3.0	no	4.0	6.0	36.0	90
EHCI040050690 xy	4.0	no	5.0	6.0	36.0	90
EHCI050060690 xy	5.0	no	6.0	6.0	36.0	90
EHCI060070690 xy	6.0	no	7.0	6.0	45.0	90
EHCI080080690 xy	8.0	no	8.0	6.0	-	90
EHCI086080898 xy	8.6	no	8.0	8.0	-	110
EHCI100100898 xy	10.0	no	10.0	8.0	-	110
EHCI106101098 xy	10.6	no	10.0	10.0	-	110
EHCI120101098 xy	12.0	no	10.0	10.0	-	110
EHCI150101098 xy	15.0	no	10.0	10.0	-	110

**legenda "xy" per diamante/CBN e grane**

diamante: D30="DB" - D64="DE" - D76="DF" - D91="DG" - D107="DK" - D126="DL" - D151="DN" - D181="DO" - D252="DQ"

cbn: B30="BB" - B64="BE" - B76="BF" - B91="BG" - B107="BK" - B126="BL" - B151="BN" - B181="BO" - B252="BQ"

Mole con Gambo Carburo Tungsteno = W

es: mola Ø 12.0 mm in cbn grana B151 gambo TC Ø 10.0


EHCI120101098 BN W

**legenda "xy" for diamant/CBN and grit size**

Pins with Tungsten Carbide shank = W

ex: cbn pin Ø 12.0 mm grit B151 TC shank Ø 10.0

EHCI120101098 BN W


**molette cilindriche con gambo in carburo di tungsteno**  
**cylindrical pins with tungsten carbide shank**


codice code	Ø T	metallo duro tungsten carbide	L1	Ø G	L2	L3
EHCI050050375 xy W	5.0	si	5.0	3.0		75
EHCI050050399 xy W	5.0	si	5.0	3.0		100
EHCI060050380 xy W	6.0	si	5.0	3.0		80
EHCI060050399 xy W	6.0	si	5.0	3.0		100
EHCI080080380 xy W	8.0	si	8.0	3.0		80
EHCI080080399 xy W	8.0	si	8.0	3.0		100
EHCI070080675 xy W	7.0	si	8.0	6.0		75
EHCI070080699 xy W	7.0	si	8.0	6.0		100
EHCI080080675 xy W	8.0	si	8.0	6.0		75
EHCI080080699 xy W	8.0	si	8.0	6.0		100
EHCI100100698 xy W	10.0	si	10.0	6.0		110
EHCI100100898 xy W	10.0	si	10.0	8.0		110
EHCI100100998 xy W	10.0	si	10.0	9.52		110
EHCI120100698 xy W	12.0	si	10.0	6.0		110
EHCI120100898 xy W	12.0	si	10.0	8.0		110
EHCI120100998 xy W	12.0	si	10.0	9.52		110
EHCI120101098 xy W	12.0	si	10.0	10.0		110
EHCI140100698 xy W	14.0	si	10.0	6.0		110
EHCI140100898 xy W	14.0	si	10.0	8.0		110
EHCI140100998 xy W	14.0	si	10.0	9.52		110
EHCI140101098 xy W	14.0	si	10.0	10.0		110
EHCI150100698 xy W	15.0	si	10.0	6.0		110
EHCI150100898 xy W	15.0	si	10.0	8.0		110
EHCI150100998 xy W	15.0	si	10.0	9.52		110
EHCI150101098 xy W	15.0	si	10.0	10.0		110
EHCI160100698 xy W	16.0	si	10.0	6.0		110
EHCI160100898 xy W	16.0	si	10.0	8.0		110
EHCI160100998 xy W	16.0	si	10.0	9.52		110
EHCI160101098 xy W	16.0	si	10.0	10.0		110
EHCI180100698 xy W	18.0	si	10.0	6.0		110
EHCI180100898 xy W	18.0	si	10.0	8.0		110
EHCI180100998 xy W	18.0	si	10.0	9.52		110
EHCI180101098 xy W	18.0	si	10.0	10.0		110
EHCI200100698 xy W	20.0	si	10.0	6.0		110
EHCI200100898 xy W	20.0	si	10.0	8.0		110
EHCI200100998 xy W	20.0	si	10.0	9.52		110
EHCI200101098 xy W	20.0	si	10.0	10.0		110

**legenda "xy" per diamante/CBN e grane**

diamante: D30="DB" - D64="DE" - D76="DF" - D91="DG" - D107="DK" - D126="DL" - D151="DN" - D181="DO" - D252="DQ"  
cbn: B30="BB" - B64="BE" - B76="BF" - B91="BG" - B107="BK" - B126="BL" - B151="BN" - B181="BO" - B252="BQ"  
es: mola Ø 5,5 mm in diamante grana D91 gambo 5x70  
EHCI055050570 DG

**legenda "xy" for diamant/CBN and grit size**

ex: diamond pin Ø 5.5 mm grit D91 shank 5x70  
EHCI055050570 DG



**molette cilindriche con corpo in acciaio**  
**cylindrical pins with steel shank**

codice code	Ø T	metallo duro tungsten carbide	L1	Ø G	L2	L3
EHCI045050450 xy	4.5	no	5.0	4.0		50
EHCI045050475 xy						75
EHCI050050450 xy	5.0	no	5.0	4.0		50
EHCI050050475 xy						75
EHCI055050450 xy	5.5	no	5.0	4.0		50
EHCI055050460 xy						60
EHCI055050550 xy				5.0	50	
EHCI055050570 xy					70	
EHCI055050580 xy					80	
EHCI060060450 xy					50	
EHCI060060460 xy	6.0	no	6.0	4.0		60
EHCI060060550 xy						5.0
EHCI060060570 xy				70		
EHCI060060580 xy				80		
EHCI065060550 xy				6.5	no	6.0
EHCI065060570 xy	70					
EHCI065060580 xy	80					
EHCI065060670 xy	6.0	70				
EHCI065060680 xy		80				
EHCI065060699 xy		100				
EHCI070100670 xy	7.0	no	10.0	6.0		70
EHCI070100680 xy						80
EHCI070100699 xy						100
EHCI075100670 xy	7.5	no	10.0	6.0		70
EHCI075100680 xy						80
EHCI075100699 xy						100
EHCI080100670 xy	8.0	no	10.0	6.0		70
EHCI080100680 xy						80
EHCI080100699 xy						100
EHCI085100670 xy	8.5	no	10.0	6.0		70
EHCI085100680 xy						80
EHCI085100699 xy						100
EHCI085100870 xy				8.0	70	
EHCI085100880 xy					80	
EHCI085100899 xy					100	
EHCI090100670 xy	9.0	no	10.0	6.0		70
EHCI090100680 xy						80
EHCI090100699 xy						100
EHCI090100870 xy				8.0	70	
EHCI090100880 xy					80	
EHCI090100899 xy					100	

**legenda "xy" per diamante/CBN e grane**

diamante: D30="DB" - D64="DE" - D76="DF" - D91="DG" - D107="DK" - D126="DL" - D151="DN" - D181="DO" - D252="DQ"

cbn: B30="BB" - B64="BE" - B76="BF" - B91="BG" - B107="BK" - B126="BL" - B151="BN" - B181="BO" - B252="BQ"


es: mola Ø 9,5 mm in diamante grana D126 gambo 6x80

EHCI095100680 DL

**legenda "xy" for diamant/CBN and grit size**

ex: diamond pin Ø 9.5 mm grit D126 shank 6x80

EHCI095100680 DL



**molette cilindriche con corpo in acciaio**  
**cylindrical pins with steel shank**

codice code	Ø T	metallo duro tungsten carbide	L1	Ø G	L2	L3			
EHCI095100670 xy	9.5	no	10.0	6.0		70			
EHCI095100680 xy						80			
EHCI095100699 xy						100			
EHCI095100870 xy						8.0		70	
EHCI095100880 xy								80	
EHCI095100899 xy								100	
EHCI100100670 xy	10.0	no	10.0	6.0		70			
EHCI100100680 xy						80			
EHCI100100699 xy						100			
EHCI100100870 xy						8.0		70	
EHCI100100880 xy								80	
EHCI100100899 xy								100	
EHCI105150670 xy	10.5	no	15.0	6.0		70			
EHCI105150680 xy						80			
EHCI105150699 xy						100			
EHCI105150870 xy						8.0		70	
EHCI105150880 xy								80	
EHCI105150899 xy								100	
EHCI105151080 xy							10.0		80
EHCI105151099 xy									100
EHCI105151097 xy									120
EHCI110150670 xy	11.0	no	15.0	6.0		70			
EHCI110150680 xy						80			
EHCI110150699 xy						100			
EHCI110150870 xy						8.0		70	
EHCI110150880 xy								80	
EHCI110150899 xy								100	
EHCI110151080 xy							10.0		80
EHCI110151099 xy									100
EHCI110151097 xy									120
EHCI115150670 xy	11.5	no	15.0	6.0		70			
EHCI115150680 xy						80			
EHCI115150699 xy						100			
EHCI115150870 xy						8.0		70	
EHCI115150880 xy								80	
EHCI115150899 xy								100	
EHCI115151080 xy							10.0		80
EHCI115151099 xy									100
EHCI115151097 xy									120

**legenda "xy" per diamante/CBN e grane**

diamante: D30="DB" - D64="DE" - D76="DF" - D91="DG" - D107="DK" - D126="DL" - D151="DN" - D181="DO" - D252="DQ"

cbn: B30="BB" - B64="BE" - B76="BF" - B91="BG" - B107="BK" - B126="BL" - B151="BN" - B181="BO" - B252="BQ"


es: mola Ø 12 mm in CBN grana B181 gambo 10x120

EHCI120151097 BO

**legenda "xy" for diamant/CBN and grit size**

ex: CBN pin Ø 12 mm grit B181 shank 10x120

EHCI120151097 BO



**molette cilindriche con corpo in acciaio**  
**cylindrical pins with steel shank**

codice code	Ø T	metallo duro tungsten carbide	L1	Ø G	L2	L3		
EHCI120150670 xy	12.0	no	15.0	6.0		70		
EHCI120150680 xy						80		
EHCI120150699 xy						100		
EHCI120150870 xy				8.0				70
EHCI120150880 xy								80
EHCI120150899 xy								100
EHCI120151080 xy				10.0				80
EHCI120151099 xy								100
EHCI120151097 xy								120
EHCI125150670 xy	12.5	no	15.0	6.0		70		
EHCI125150680 xy						80		
EHCI125150699 xy						100		
EHCI125150870 xy				8.0				70
EHCI125150880 xy								80
EHCI125150899 xy								100
EHCI125151080 xy				10.0				80
EHCI125151099 xy								100
EHCI125151097 xy								120
EHCI130150670 xy	13.0	no	15.0	6.0		70		
EHCI130150680 xy						80		
EHCI130150699 xy						100		
EHCI130150870 xy				8.0				70
EHCI130150880 xy								80
EHCI130150899 xy								100
EHCI130151080 xy				10.0				80
EHCI130151099 xy								100
EHCI130151097 xy								120
EHCI135150670 xy	13.5	no	15.0	6.0		70		
EHCI135150680 xy						80		
EHCI135150699 xy						100		
EHCI135150870 xy				8.0				70
EHCI135150880 xy								80
EHCI135150899 xy								100
EHCI135151080 xy				10.0				80
EHCI135151099 xy								100
EHCI135151097 xy								120



**legenda "xy" per diamante/CBN e grane**

diamante: D30="DB" - D64="DE" - D76="DF" - D91="DG" - D107="DK" - D126="DL" - D151="DN" - D181="DO" - D252="DQ"

cbn: B30="BB" - B64="BE" - B76="BF" - B91="BG" - B107="BK" - B126="BL" - B151="BN" - B181="BO" - B252="BQ"


es: mola Ø 15 mm in diamante grana D151 gambo 10x120

EHCI150151097 DN

**legenda "xy" for diamant/CBN and grit size**

ex: diamond pin Ø 15 mm grit D151 shank 10x120

EHCI150151097 DN



**molette cilindriche con corpo in acciaio**  
**cylindrical pins with steel shank**

codice code	Ø T	metallo duro tungsten carbide	L1	Ø G	L2	L3		
EHCI140150670 xy	14.0	no	15.0	6.0		70		
EHCI140150680 xy						80		
EHCI140150699 xy						100		
EHCI140150870 xy				8.0				70
EHCI140150880 xy								80
EHCI140150899 xy								100
EHCI140151080 xy				10.0				80
EHCI140151099 xy								100
EHCI140151097 xy								120
EHCI145150670 xy				14.5	no	15.0	6.0	
EHCI145150680 xy	80							
EHCI145150699 xy	100							
EHCI145150870 xy	8.0							70
EHCI145150880 xy								80
EHCI145150899 xy								100
EHCI145151080 xy	10.0							80
EHCI145151099 xy								100
EHCI145151097 xy								120
EHCI150150670 xy	15.0	no	15.0				6.0	
EHCI150150680 xy				80				
EHCI150150699 xy				100				
EHCI150150870 xy				8.0				70
EHCI150150880 xy								80
EHCI150150899 xy								100
EHCI150151080 xy				10.0				80
EHCI150151099 xy								100
EHCI150151097 xy								120
EHCI155150670 xy				15.5	no	15.0	6.0	
EHCI155150680 xy	80							
EHCI155150699 xy	100							
EHCI155150870 xy	8.0							70
EHCI155150880 xy								80
EHCI155150899 xy								100
EHCI155151080 xy	10.0							80
EHCI155151099 xy								100
EHCI155151097 xy								120

**legenda "xy" per diamante/CBN e grane**

diamante: D30="DB" - D64="DE" - D76="DF" - D91="DG" - D107="DK" - D126="DL" - D151="DN" - D181="DO" - D252="DQ"

cbn: B30="BB" - B64="BE" - B76="BF" - B91="BG" - B107="BK" - B126="BL" - B151="BN" - B181="BO" - B252="BQ"


es: mola Ø 17.5 mm in CBN grana B126 gambo 10x120

EHCI175151097 BL

**legenda "xy" for diamant/CBN and grit size**

ex: diamond pin Ø 17.5 mm grit B126 shank 10x120

EHCI175151097 BL



**molette cilindriche con corpo in acciaio**  
**cylindrical pins with steel shank**

codice code	Ø T	metallo duro tungsten carbide	L1	Ø G	L2	L3
EHCI160150670 xy	16.0	no	15.0	6.0		70
EHCI160150680 xy						80
EHCI160150699 xy						100
EHCI160150870 xy				8.0	70	
EHCI160150880 xy					80	
EHCI160150899 xy					100	
EHCI160151080 xy				10.0	80	
EHCI160151099 xy					100	
EHCI160151097 xy					120	
EHCI165150670 xy				16.5	no	15.0
EHCI165150680 xy	80					
EHCI165150699 xy	100					
EHCI165150870 xy	8.0	70				
EHCI165150880 xy		80				
EHCI165150899 xy		100				
EHCI165151080 xy	10.0	80				
EHCI165151099 xy		100				
EHCI165151097 xy		120				
EHCI170150670 xy	17.0	no	15.0			
EHCI170150680 xy				80		
EHCI170150699 xy				100		
EHCI170150870 xy				8.0	70	
EHCI170150880 xy					80	
EHCI170150899 xy					100	
EHCI170151080 xy				10.0	80	
EHCI170151099 xy					100	
EHCI170151097 xy					120	
EHCI175150670 xy				17.5	no	15.0
EHCI175150680 xy	80					
EHCI175150699 xy	100					
EHCI175150870 xy	8.0	70				
EHCI175150880 xy		80				
EHCI175150899 xy		100				
EHCI175151080 xy	10.0	80				
EHCI175151099 xy		100				
EHCI175151097 xy		120				

**legenda "xy" per diamante/CBN e grane**

diamante: D30="DB" - D64="DE" - D76="DF" - D91="DG" - D107="DK" - D126="DL" - D151="DN" - D181="DO" - D252="DQ"

cbn: B30="BB" - B64="BE" - B76="BF" - B91="BG" - B107="BK" - B126="BL" - B151="BN" - B181="BO" - B252="BQ"


es: mola Ø 20 mm in diamante grana D64 gambo 10x120

EHCI200151097 DE

**legenda "xy" for diamant/CBN and grit size**

ex: diamond pin Ø 20 mm grit D64 shank 10x120

EHCI200151097 DE



**molette cilindriche con corpo in acciaio**  
**cylindrical pins with steel shank**

codice code	Ø T	metallo duro tungsten carbide	L1	Ø G	L2	L3		
EHCI180150670 xy	18.0	no	15.0	6.0		70		
EHCI180150680 xy						80		
EHCI180150699 xy						100		
EHCI180150870 xy				8.0				70
EHCI180150880 xy								80
EHCI180150899 xy								100
EHCI180151080 xy				10.0				80
EHCI180151099 xy								100
EHCI180151097 xy								120
EHCI185150870 xy	18.5	no	15.0	8.0		70		
EHCI185150880 xy						80		
EHCI185150899 xy						100		
EHCI185151080 xy				10.0				80
EHCI185151099 xy								100
EHCI185151097 xy								120
EHCI190150870 xy	19.0	no	15.0	8.0		70		
EHCI190150880 xy						80		
EHCI190150899 xy						100		
EHCI190151080 xy				10.0				80
EHCI190151099 xy								100
EHCI190151097 xy								120
EHCI195150870 xy	19.5	no	15.0	8.0		70		
EHCI195150880 xy						80		
EHCI195150899 xy						100		
EHCI195151080 xy				10.0				80
EHCI195151099 xy								100
EHCI195151097 xy								120
EHCI200150870 xy	20.0	no	15.0	8.0		70		
EHCI200150880 xy						80		
EHCI200150899 xy						100		
EHCI200151080 xy				10.0				80
EHCI200151099 xy								100
EHCI200151097 xy								120

**gambi in pollici disponibili su richiesta**  
**inch shank upon request**

**legenda x = D (diamante) / B (CBN)**

diamante: D91="DG" - D126="DL" - D181="DO"

cbn: B91="BG" - B126="BL" - B181="BO"

Mole con Gambo Carburo Tungsteno = W

es: mola Ø 2.3 mm in cbn grana B126 gambo TC 50


EHCI023030250 BL W

**legenda x = D (diamond) / B (CBN)**

Pins with Tungsten Carbide shank = W

ex: cbn pin Ø 2.3 mm grit B126 TC shank 50

EHCI023030250 BL W



## molette cilindriche a sigaretta con gambo in carburo di tungsten cigarette cylindrical pins with tungsten carbide shank

codice code	Ø T	metallo duro tungsten carbide	L1	Ø G	L2	L3
EHCI022030250 xG W	2.2	si	3.0	2.0		50
EHCI023030250 xL W	2.3					
EHCI024030250 xO W	2.4					
EHCI022030275 xG W	2.2	si	3.0	2.0		75
EHCI023030275 xL W	2.3					
EHCI024030275 xO W	2.4					
EHCI022030299 xG W	2.2	si	3.0	2.0		100
EHCI023030299 xL W	2.3					
EHCI024030299 xO W	2.4					
EHCI032040350 xG W	3.2	si	4.0	3.0		50
EHCI033040350 xL W	3.3					
EHCI034040350 xO W	3.4					
EHCI032040375 xG W	3.2	si	4.0	3.0		75
EHCI033040375 xL W	3.3					
EHCI034040375 xO W	3.4					
EHCI032040399 xG W	3.2	si	4.0	3.0		100
EHCI033040399 xL W	3.3					
EHCI034040399 xO W	3.4					
EHCI042050450 xG W	4.2	si	5.0	4.0		50
EHCI043050450 xL W	4.3					
EHCI044050450 xO W	4.4					
EHCI042050475 xG W	4.2	si	5.0	4.0		75
EHCI043050475 xL W	4.3					
EHCI044050475 xO W	4.4					
EHCI042050499 xG W	4.2	si	5.0	4.0		100
EHCI043050499 xL W	4.3					
EHCI044050499 xO W	4.4					
EHCI052050550 xG W	5.2	si	5.0	5.0		50
EHCI053050550 xL W	5.3					
EHCI054050550 xO W	5.4					
EHCI052050575 xG W	5.2	si	5.0	5.0		75
EHCI053050575 xL W	5.3					
EHCI054050575 xO W	5.4					
EHCI052050599 xG W	5.2	si	5.0	5.0		100
EHCI053050599 xL W	5.3					
EHCI054050599 xO W	5.4					

**legenda x = D (diamante) / B (CBN)**

diamante: D91="DG" - D126="DL" - D181="DO"

cbn: B91="BG" - B126="BL" - B181="BO"

Mole con Gambo Carburo Tungsteno = W

es: mola Ø 2.3 mm in cbn grana B126 gambo TC 50


EHCI023030250 BL W

**legenda x = D (diamond) / B (CBN)**

Pins with Tungsten Carbide shank = W

ex: cbn pin Ø 2.3 mm grit B126 TC shank 50

EHCI023030250 BL W


**molette cilindriche a sigaretta con gambo in carburo di tungsten**  
**cigarette cylindrical pins with tungsten carbide shank**

codice code	Ø T	metallo duro tungsten carbide	L1	Ø G	L2	L3
EHCI062070650 xG W	6.2	si	7.0	6.0		50
EHCI063070650 xL W	6.3					
EHCI064070650 xO W	6.4					
EHCI062070675 xG W	6.2	si	7.0	6.0		75
EHCI063070675 xL W	6.3					
EHCI064070675 xO W	6.4					
EHCI062070699 xG W	6.2	si	7.0	6.0		100
EHCI063070699 xL W	6.3					
EHCI064070699 xO W	6.4					
EHCI072070750 xG W	7.2	si	7.0	7.0		50
EHCI073070750 xL W	7.3					
EHCI074070750 xO W	7.4					
EHCI072070775 xG W	7.2	si	7.0	7.0		75
EHCI073070775 xL W	7.3					
EHCI074070775 xO W	7.4					
EHCI072070799 xG W	7.2	si	7.0	7.0		100
EHCI073070799 xL W	7.3					
EHCI074070799 xO W	7.4					
EHCI082100850 xG W	8.2	si	10.0	8.0		50
EHCI083100850 xL W	8.3					
EHCI084100850 xO W	8.4					
EHCI082100875 xG W	8.2	si	10.0	8.0		75
EHCI083100875 xL W	8.3					
EHCI084100875 xO W	8.4					
EHCI082100899 xG W	8.2	si	10.0	8.0		100
EHCI083100899 xL W	8.3					
EHCI084100899 xO W	8.4					
EHCI092100950 xG W	9.2	si	10.0	9.0		50
EHCI093100950 xL W	9.3					
EHCI094100950 xO W	9.4					
EHCI092100975 xG W	9.2	si	10.0	9.0		75
EHCI093100975 xL W	9.3					
EHCI094100975 xO W	9.4					
EHCI092100999 xG W	9.2	si	10.0	9.0		100
EHCI093100999 xL W	9.3					
EHCI094100999 xO W	9.4					
EHCI092100996 xG W	9.2	si	10.0	9.0		130
EHCI093100996 xL W	9.3					
EHCI094100996 xO W	9.4					

**legenda x = D (diamante) / B (CBN)**

diamante: D91="DG" - D126="DL" - D181="DO"

cbn: B91="BG" - B126="BL" - B181="BO"

Mole con Gambo Carburo Tungsteno = W

es: mola Ø 2.3 mm in cbn grana B126 gambo TC 50


EHCI023030250 BL W

**legenda x = D (diamond) / B (CBN)**

Pins with Tungsten Carbide shank = W

ex: cbn pin Ø 2.3 mm grit B126 TC shank 50

EHCI023030250 BL W


**molette cilindriche a sigaretta con gambo in carburo di tungsten**  
**cigarette cylindrical pins with tungsten carbide shank**

codice code	Ø T	metallo duro tungsten carbide	L1	Ø G	L2	L3
EHCI102101050 xG W	10.2	si	10.0	10.0		50
EHCI103101050 xL W	10.3					
EHCI104101050 xO W	10.4					
EHCI102101075 xG W	10.2	si	10.0	10.0		75
EHCI103101075 xL W	10.3					
EHCI104101075 xO W	10.4					
EHCI102101099 xG W	10.2	si	10.0	10.0		100
EHCI103101099 xL W	10.3					
EHCI104101099 xO W	10.4					
EHCI102101096 xG W	10.2	si	10.0	10.0		130
EHCI103101096 xL W	10.3					
EHCI104101096 xO W	10.4					
EHCI122101250 xG W	12.2	si	10.0	12.0		50
EHCI123101250 xL W	12.3					
EHCI124101250 xO W	12.4					
EHCI122101275 xG W	12.2	si	10.0	12.0		75
EHCI123101275 xL W	12.3					
EHCI124101275 xO W	12.4					
EHCI122101299 xG W	12.2	si	10.0	12.0		100
EHCI123101299 xL W	12.3					
EHCI124101299 xO W	12.4					
EHCI122101296 xG W	12.2	si	10.0	12.0		130
EHCI123101296 xL W	12.3					
EHCI124101296 xO W	12.4					
EHCI152101550 xG W	15.2	si	10.0	15.0		50
EHCI153101550 xL W	15.3					
EHCI154101550 xO W	15.4					
EHCI152101575 xG W	15.2	si	10.0	15.0		75
EHCI153101575 xL W	15.3					
EHCI154101575 xO W	15.4					
EHCI152101599 xG W	15.2	si	10.0	15.0		100
EHCI153101599 xL W	15.3					
EHCI154101599 xO W	15.4					
EHCI152101596 xG W	15.2	si	10.0	15.0		130
EHCI153101596 xL W	15.3					
EHCI154101596 xO W	15.4					

**E' possibile realizzare dimensioni speciali su richiesta**
***Special dimensions upon request***